



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/571,011

11/01/2006

Susumu Hongo

2006\_0305A

6704

513

7590

03/05/2010

WENDEROTH, LIND & PONACK, L.L.P.

1030 15th Street, N.W.,

Suite 400 East

Washington, DC 20005-1503

EXAMINER

PATEL, PRITESH ASHOK

ART UNIT

PAPER NUMBER

3763

NOTIFICATION DATE

DELIVERY MODE

03/05/2010

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ddalecki@wenderoth.com

coa@wenderoth.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/571,011	<b>Applicant(s)</b> HONGO ET AL.	
	<b>Examiner</b> PRITESH PATEL	<b>Art Unit</b> 3763	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 10 November 2009.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 6-21 is/are pending in the application.
- 4a) Of the above claim(s) 13-19 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 6-12, 20 and 21 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 08 March 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |                                                                                                            |                                                                                         |
|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948)                        | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____                                                |

**DETAILED ACTION**

***Claim Rejections - 35 USC § 112***

1. Claim 21 recites the limitation "the connection supporting member...the base having a plurality of slits extending radially outward from the hole." There is insufficient antecedent basis for this limitation in the claim. The examiner does not see a drawing or a description from the spec that allows for this limitation, please clarify or rectify accordingly.

***Claim Rejections - 35 USC § 103***

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 6 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Imbert (US 6027482).

Concerning claim 6 and 20, Imbert discloses a medical syringe (10) comprising a syringe unit having a lure (22) and syringe body (12), and a cylindrical connection member (44) slidably and detachably disposed, said member increasing holding power of said lure, a connection member (44) that is slidable along the lure tip while remaining engaged to said luer tip (Fig 1). Imbert does not disclose a rubber stopper and a cylindrical connection member that is secured to a lure tip in a first or second position. It would have been obvious to one of ordinary skill in the art at the time of the invention to use a stopper to limit the loss of a connection member by misplacement, the secure connection remains with or without the stopper.

Concerning claims 7-9, in addition to the above disclosure, Imbert discloses a contact part (323) of larger diameter than the lure and prevents the connection member from sliding to close to tip of the lure part. It would have been obvious to one of ordinary skill in the art at the time of the invention to use an elastic body such as a spring or rubber, for the contact part and to include spiral grooves to facilitate movement of the connection member over said contact part (Fig 10). It would also have been obvious to one of ordinary skill in the art at the time of the invention that the connection member would be fitted onto the lure with enough force that its own weight would not pull it past the contact part.

***Allowable Subject Matter***

2. Claims 10-12 allowed over the prior art.

***Conclusion***

3. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 3763

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PRITESH PATEL whose telephone number is (571)270-7025. The examiner can normally be reached on Monday-Friday 7:30Am-5:00PM, every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas Lucchesi can be reached on (571)272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/P. P./  
Examiner, Art Unit 3763  
02/27/2010

/Nicholas D Lucchesi/  
Supervisory Patent Examiner, Art Unit 3763